


LIGHTING & AUTOMATION



Spotlight

Proiettori

Reflektor

Linear Led

Led Lineari

Linearne Led

Automation and Control

Automazione e Controllo

Automatizacija i kontrola

Led Italy introduces a new way of thinking and realize underwater lighting. The concept of installing a line of light in the pool arises from the need to highlight and enhance the choices designed today for the construction of a swimming pool. Wrap and accompany the lines of a pool with light to enhance the spaces and give emphasis on the high-level technologies used today for the construction of a dream that must differentiate and stand out among a thousand proposals. Snake Pvc and Flex Light are the solution designed by Led Italy to draw lines of light in the pool for any constructive solution adopted. Vertical bendable LED strip IP68. Available with different color temperatures, tunable white and RGB. White PVC outercase and opal resin guarantee protection against UV rays and to the corrosive action of salt and sodium hypochlorite. Not cuttable and custom size length. Ideal for swimming pools or fountains for panel installation in reinforced concrete with tiles or pool liner.

LED ITALY introduce nel mondo della piscina un nuovo modo di pensare e realizzare l'illuminazione subacquea. Il concetto dell'installazione di una linea di luce in piscina nasce dall'esigenza di evidenziare ed esaltare le scelte architettoniche ideate oggi per la costruzione di una piscina. Avvolgere e accompagnare le linee di una piscina con la luce per esaltare gli spazi e dare risalto alle tecnologie di alto livello utilizzate oggi per la costruzione di un sogno che deve differenziarsi e distinguersi tra mille proposte. Snake Pvc e Flex Light sono la soluzione pensata da Led Italy per disegnare linee di luce in piscina per qualsiasi soluzione costruttiva adottata. La gamma spot light di led italy, rappresenta invece la soluzione ideale per illuminare in modo ottimale piscine in qualsiasi ambito e location. Cura dei dettagli, utilizzo di materie prime di alto livello e il design innovativo, pongono questa linea di prodotti come la scelta migliore per chi oggi progetta e realizza una piscina che non vuole confondersi con mille altre realizzazioni.

Led Italy predstavlja novi način razmišljanja i realizacije podvodne rasvjete. Koncept ugradnje svjetlosne linije u bazen proizlazi iz potrebe da se istaknu i poboljšaju danas dizajnirani izbori za izgradnju bazena. Zamotajte i popratite linije bazena svjetlom kako biste poboljšali prostore i stavili naglasak na tehnologije visoke razine koje se danas koriste za izgradnju sna koji se mora razlikovati i isticati među tisuću prijedloga. Snake Pvc i Flex Light rješenje su koje je osmislio Led Italy za crtanje svjetlosnih linija u bazenu za bilo koje usvojeno konstruktivno rješenje. Vertikalna savitljiva LED traka IP68. Dostupan s različitim temperaturama boja, podesivom bijelom i RGB bojom. Bijelo PVC vanjsko kućište i opalna smola jamče zaštitu od UV zraka i korozivnog djelovanja soli i natrijevog hipoklorita. Ne može se rezati i prilagođena je duljina. Idealno za bazene ili fontane za ugradnju panela u armirani beton s pločicama ili oblogom bazena.

5 YEARS GUARRANTY ON ALL PRODUCTS !!



TUTTI I FARI SONO DOTATI DEL SISTEMA NO-AIR CHE ASSICURA GRAZIE ALLA TOTALE RESINATURA DEI CIRCUITI ELETTRICI LA GARANZIA DELLA TOTALE IMPERMEABILITÀ DEGLI STESSI.

ALL THE HEADLIGHTS ARE EQUIPPED WITH THE NO-AIR SYSTEM WHICH ENSURES, THANKS TO THE TOTAL RESINATION OF ELECTRICAL CIRCUITS, THE GUARANTEE OF TOTAL WATERPROOFING.



I NOSTRI FARI SONO DOTATI DELLE INNOVATIVE OTTICHE POOL VISION ADATTE ALLA DIFFUSIONE DELLA LUCE IN UNA PISCINA, CHE CONCENTRANO LA LUCE DOVE SERVE ED EVITANO IL PROBLEMA DELL'ABBAGLIAMENTO.

OUR HEADLIGHTS ARE EQUIPPED WITH INNOVATIVE POOL VISION OPTICS SUITABLE FOR THE DIFFUSION OF LIGHT IN A POOL, WHICH CONCENTRATE THE LIGHT WHERE IT IS NEEDED AND AVOID THE PROBLEM OF GLARE.



LA GAMMA DI LUCE PIU' AMPIA DEL MERCATO. TUTTI I NOSTRI FARI SONO DISPONIBILI DI SERIE IN BIANCO CALDO/NATURALE/FREDDO E NATURALMENTE IN RGBW.

THE WIDEST LIGHT RANGE ON THE MARKET. ALL OUR HEADLIGHTS ARE AVAILABLE AS STANDARD IN WARM WHITE / NATURAL / COLD AND OF COURSE IN RGBW.



LE LINEE LUCE SONO COMPLETATE DALLA VERSIONE IN TUNABLE WHITE UNITA ALLA POSSIBILITÀ DI DIMMERARE LA LUMINOSITÀ DEL FARO PERMETTENDO UNA TOTALE PERSONALIZZAZIONE DELLA LUCE A FARO INSTALLATO.


THE LIGHT LINES ARE COMPLETED BY THE TUNABLE WHITE VERSION COMBINED WITH THE POSSIBILITY OF DIMMING THE BRIGHTNESS OF THE HEADLIGHT ALLOWING A TOTAL CUSTOMIZATION OF THE LIGHTHOUSE INSTALLED.





FAMILY DOLPHIN E FAMILY SQUID SONO EQUIPAGGIATE CON COVER IN CORIAN, MATERIALE DI PRESTIGIO E SOLIDITÀ DISPONIBILE IN 6 COLORI STANDARD: BIANCO, SABBIA, AZZURRO, GRIGIO, ANTRACITE E NERO. NESSUN PROBLEMA DI OSSIDAZIONE E RUGGINE.

FAMILY DOLPHIN AND FAMILY SQUID ARE EQUIPPED WITH CORIAN COVERS, PRESTIGIOUS AND SOLID MATERIAL. AVAILABLE IN 6 STANDARD COLOURS: WHITE, SAND, BLUE, GREY, ANTHRACITE AND BLACK. NO OXIDATION AND RUST PROBLEMS.

LINEAR LED GAMMA





SPOTLIGHT GAMMA



LINEAR LED

Linear Led solutions for any pool typology and accessories - For more details look at LED ITALY Catalogue

EASY LINE



Adaptable on all pool typology/form

Waterproof sealing system

Ideal for underboard installation

Vertical bendable LED strip IP68. Available with different color temperatures, tunable white and RGB. White PVC outercase and opal resin guarantee protection against UV rays and to the corrosive action of salt and sodium hypochlorite. Not cuttable and custom size length. Ideal for swimming pools or fountains for panel installation in reinforced concrete with tiles or pool liner.

Strip LED flessibile resinata con grado di protezione IP68. Disponibile con varie tonalità di luce, bianco dinamico o RGB. La guaina in PVC bianco 14x6.5mm e la resinatura poliuretanicca opale garantiscono protezione contro gli effetti nocivi dei raggi UV ed alla azione corrosiva del sale e del ipoclorito di sodio. Non sezionabile e realizzata su misura. Ideale piscine o fontane con pannello e cemento armato con piastrelle o telo.



Vertikalna savitljiva LED traka IP68. Dostupan s različitim temperaturama boja, podesivom bijelom i RGB bojom. Bijelo PVC vanjsko kućište i opalna smola jamče zaštitu od UV zraka i korozivnog djelovanja soli i natrijevog hipoklorita. Ne može se rezati i prilagođena je duljina. Idealno za bazene ili fontane za ugradnju panela u armirani beton s pločicama ili oblogom bazena.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso lum. Luminous Flux (lm/m)	Tensione Voltage	IP	Consumo Power
● 2900K ● 3200K ● 4600K ● 6200K	475	24 Vdc	68	8 W/m
● 2850K ● 3250K ● 4450K ● 5550K	830	24 Vdc	68	13 W/m
● 2 Tunable white 2900-5400K	800	24 Vdc	68	12 W/m
● RGB3	370	24 Vdc	68	15,5 W/m
● 4 RGB + W	370	24 Vdc	68	18 W/m

MIDI LINE



Adaptable on all pool typology/form

Waterproof sealing system

Ideal for wall & floor installation

Vertical bendable LED strip IP68. Available with different color temperatures, tunable white and RGB. White PVC outercase and opal resin guarantee protection against UV rays and to the corrosive action of salt and sodium hypochlorite. Not cuttable and custom size length. Ideal for swimming pools or fountains for panel installation in reinforced concrete with tiles or pool liner

Strip LED flessibile resinata con grado di protezione IP68. Disponibile con varie tonalità di luce, bianco dinamico o RGB. La guaina in PVC bianco 10x11mm e la resinatura poliuretanicca opale garantiscono protezione contro gli effetti nocivi dei raggi UV ed alla azione corrosiva del sale e del ipoclorito di sodio. Non sezionabile e realizzata su misura. Ideale piscine o fontane con pannello e cemento armato con piastrelle o telo.




Vertikalna savitljiva LED traka IP68. Dostupan s različitim temperaturama boja, podesivom bijelom i RGB bojom. Bijelo PVC vanjsko kućište i opalna smola jamče zaštitu od UV zraka i korozivnog djelovanja soli i natrijevog hipoklorita. Ne može se rezati i prilagođena je duljina. Idealno za bazene ili fontane za ugradnju panela u armirani beton s pločicama ili oblogom bazena

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso Lum. Luminous Flux lm/m	Tensione Voltage	IP	Consumo Power
● 2700K ● 3000K ● 4000K ● 5000K	270	24 Vdc	68	8 W/m
● 2700K ● 3000K ● 4000K ● 5000K	420	24 Vdc	68	13 W/m
● 2 Tunable white 2900-5400K	680	24 Vdc	68	12 W/m
● RGB3	370	24 Vdc	68	15.5 W/m
● 4 RGB + W	370	24 Vdc	68	18 W/m

WALKABLE LINE



Adaptable on all pool typology/form

Waterproof sealing system

Ideal for pavement installation

The Walkable Line L704X lighting system consists of the recessed walkable LED profile in AISI 316 stainless steel and the ABS rigid outercase for floor installation. Made to measure, length max. 2900mm, Suitable to be equipped with the most performing models of the Linea Luce LED strips. Versions with IP68 degree of protection, opal crystal resin, IK10 resistance.

Il sistema di illuminazione Walkable Line L704X si compone del profilo LED calpestabile ad incasso in acciaio inox AISI 316 e della guida in ABS a scomparsa per installazione a pavimento. Realizzato su misura, lunghezza max. 2900mm, Previsto per alloggiare i modelli più performanti delle strip LED Linea Luce. Versioni con grado di protezione IP68, resinatura cristallina opalina resistenza IK10.

Sustav rasvjete Walkable Line L704X sastoji se od ugradbenog prohodnog LED profila od nehrđajućeg čelika AISI 316 i ABS krutog vanjskog kućišta za podnu ugradnju. Izrada po mjeri, duljina max. 2900 mm, prikladno za opremanje najučinkovitijim modelima LED traka Linea Luce. Verzije sa stupnjem zaštite IP68, opalna kristalna smola, otpornost IK10.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso Lum. Luminous Flux lm/m	Tensione Voltage	IP	Consumo Power
● 3400K ● 4000K ● 5300K	795	24 Vdc	68	2x11 W/m
● 2 Tunable white 2900-5400K	465	24 Vdc	68	12 W/m
● 3 RGB	365	24 Vdc	68	15,5 W/m
● 4 RGB + W	250	24 Vdc	68	18 W/m

SNAKE SYSTEM LINEAR LED



Snake PVC lighting system for reinforced concrete and prefabricated swimming pools. The SNAKE PVC system allows the application of a flexible LED profile inside a pool with PVC coating with the maximum guarantee of sealing and with an excellent aesthetic impact. To allow better light diffusion, we recommend applying the profile at a height between -40 and -60 cm from the pool edge. The application of the SNAKE profile takes place by means of a heat sealer to the PVC coating of the pool. Available in various colors.

Sistema illuminazione Snake PVC per piscine in cemento armato e prefabbricato. Il sistema SNAKE PVC permette l'applicazione di un profilo flessibile a LED all'interno di una piscina con rivestimento in PVC con la massima garanzia di tenuta e con un ottimo impatto estetico. Per permettere una migliore diffusione della luce consigliamo l'applicazione del profilo ad un'altezza compresa tra i -40 e -60 cm dal bordo piscina. L'applicazione del profilo SNAKE avviene tramite termosaldatore al rivestimento in PVC della piscina. Disponibile in varie colorazioni.

Snake PVC sustav rasvjete za armirano betonske i montažne bazene. SNAKE PVC sustav omogućuje primjenu fleksibilnog LED profila unutar bazena s PVC oblogom uz maksimalno jamstvo brtvljenja i izvrstan estetski učinak. Za bolju difuziju svjetlosti preporučamo postavljanje profila na visini od -40 do -60 cm od ruba bazena. Primjena SNAKE profila odvija se toplinskim zavarivanjem na PVC oblogu bazena. Dostupan u raznim bojama.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso Lum. Luminous Flux lm/m	Tensione Voltage	IP	Consumo Power
● 2700K ● 3000K ● 4000K ● 5000K	270	24 Vdc	68	8 W/m
● 2700K ● 3000K ● 4000K ● 5000K	420	24 Vdc	68	13 W/m
● 2 Tunable white 2900-5400K	680	24 Vdc	68	12 W/m
● RGB3	370	24 Vdc	68	15.5 W/m
● 4 RGB + W	370	24 Vdc	68	18 W/m

Adaptable on all pool typology/form


Waterproof sealing system

Ideal for wall installation

SPOTLIGHT

Led projectors and accessories - For more details look at LED ITALY Catalogue

DIVE



High performance LED Spot light. The most adaptable product on the marketplace. Ideal for stairs illumination, relax zones and beaches or small pool and spa bath. Waterproof sealing system. Outer thread 1 1/2" for installation on nozzle. 24 Vdc power supply. 5 m cable included. Power supply not included.

Faretto spot LED ad elevata prestazione. Il prodotto più versatile del mercato. Ideale per l'illuminazione di scale, zone relax e spiagge o piccole piscine e vasche idromassaggio. Sistema di tenuta impermeabile. Filettatura esterna 1 1/2" M per installazione su bocchetta. Alimentazione 24 Vdc. Cavo di lunghezza 5 m incluso. Alimentatore non incluso.

ED reflektor visokih performansi. Najprilagodljiviji proizvod na tržištu. Idealno za osvjetljenje stepenica, ona za opuštanje i plaža ili za mali bazen i hidromasažnu kadu. Vodonepropusni sustav brtvljenja. Anjski navoj 1 1/2" za ugradnju na mlaznicu. 24 Vdc napajanje. Kabel od 5 m uključen. Napajanje nije ključeno.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details


Adaptable on all pool typology

Waterproof sealing system

100% customizable light
(Temperature/Flange)

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
● 3000K ○ 4000K ● 5500K	550 lm	5 W	24Vdc	68	120°
● Tunable white 2800-4600K	550 lm	5 W	24Vdc	68	120°
● 4 RGBW	500 lm	8 W	24Vdc	68	120°

MINIDOLPHIN



Small linear LED spotlight, suitable for residential swimming pools with PVC, tile or mosaic coating. Technopolymer niche with cable gland. Equipped with stainless steel flange gaskets and screws. Power supply not included. Made with IP68 waterproof connector integrated into the spotlight for connection to the cable to be customized. Suitable for application on prefabricated panels.

Faro a Led lineare di dimensioni ridotte, adatto per piscine residenziali con rivestimento in PVC, piastrelle o mosaico. Nicchia in Tecnopolimero con pressacavo. Corredato di flangia in acciaio inox guarnizioni e viti. Alimentatore non incluso. Realizzato con connettore stagno IP68 integrato al faretto per collegamento al cavo da personalizzare. Adatto per applicazione su pannelli prefabbricati.

Mali linearni LED reflektor, pogodan za stambene bazene obložene PVC-om, pločicama ili mozaikom. Niša od tehnopolimera s kablskom uvodnicom. Opremljen brtvama prirubnice od nehrđajućeg čelika i vijcima. Napajanje nije uključeno. Napravljen s IP68 vodootpornim konektorom integriranim u reflektor za spajanje na kabel koji se može prilagoditi. Prikladno za primjenu na montažnim pločama.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Waterproof sealing system

100% customizable light
(Temperature/Flange)

Suitable for all types of pools

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
● 3000K ○ 4000K ● 5500K	1200 lm	14 W	24Vdc	68	120°
● 3000K ○ 4000K ● 5500K	1400 lm	14 W	24Vdc	68	10X60°
● Tunable white 2800-4600K	1200 lm	14 W	24Vdc	68	120°
● Tunable white 2800-4600K	1400 lm	14 W	24Vdc	68	10X60°
● 4 RGBW	405 lm	11 W	24Vdc	68	120°
● 4 RGBW	455 lm	11 W	24Vdc	68	10X60°


DOLPHIN



High performance LED Spot light. The most adaptable product on the marketplace. Ideal for stairs illumination, relax zones and beaches or small pool and spa bath. Waterproof sealing system. Outer thread 1 1/2" for installation on nozzle. 24 Vdc power supply. 5 m cable included. Power supply not included.

Faretto spot LED ad elevata prestazione. Il prodotto più versatile del mercato. Ideale per l'illuminazione di scale, zone relax e spiagge o piccole piscine e vasche idromassaggio. Sistema di tenuta impermeabile. Filettatura esterna 1 1/2" M per installazione su bocchetta. Alimentazione 24 Vdc. Cavo di lunghezza 5 m incluso. Alimentatore non incluso.

LED reflektor visokih performansi. Najprilagodljiviji proizvod na tržištu. Idealno za osvjetljenje stepenica, zona za opuštanje i plaža ili za mali bazen i hidromasažnu kadu. Vodonepropusni sustav brtvljenja. Vanjski navoj 1 1/2" za ugradnju na mlaznicu. 24 Vdc napajanje. Kabel od 5 m uključen. Napajanje nije uključeno.



Adaptable on all pool typology

Waterproof sealing system

100% customizable light
(Temperature/Flange)

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
● 3000K ○ 4000K ● 5500K	2000 lm	20 W	24Vdc	68	120°
● 3000K ○ 4000K ● 5500K	2200 lm	20 W	24Vdc	68	10X60°
● Tunable white 2800-4600K	2000 lm	20 W	24Vdc	68	120°
● Tunable white 2800-4600K	2200 lm	20 W	24Vdc	68	10X60°
● 4 RGBW	750 lm	20 W	24Vdc	68	120°
● 4 RGBW	800 lm	20 W	24Vdc	68	10X60°

PAR 56



PAR56 LED lamp of universal size with ABS outercase. Suitable for reinforced concrete pools with PVC or tile coating. Stainless steel body with opal resin and white ABS finish. White version: without cable - TW/RGBW version with 5 m of cable included

Lampada PAR56 a LED di taglia universale. Adatta per piscine in cemento armato con rivestimento in PVC o piastrelle. Corpo in acciaio inox con resinatura opale e finitura bianca in ABS. Versione white: senza cavo - Versione TW/RGBW con 5 m di cavo incluso.

PAR56 LED svjetiljka univerzalne veličine s ABS kućištem. Prikladno za armiranobetonske bazene s PVC oblogom ili pločicama. Tijelo od nehrđajućeg čelika s opalnom smolom i bijelim ABS završnim slojem. Bijela verzija: bez kabela - TW/RGBW verzija s uključenim 5 m kabela



Waterproof sealing system

100% customizable light
(Temperature/Flange)

Suitable for all types of pools

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
● 3000K ○ 4000K ● 5500K	2200 lm	20 W	12Vac	68	120°
● 3000K ○ 4000K ● 5500K	2500lm	20 W	12Vac	68	10X60°
● 3000K ○ 4000K ● 5500K	2200 lm	20 W	24Vdc	68	120°
● 3000K ○ 4000K ● 5500K	2500 lm	20 W	24Vdc	68	10X60°
● Tunable white 2800-4600K	2000 lm	20 W	24Vdc	68	120°
● Tunable white 2800-4600K	2200 lm	20 W	24Vdc	68	10X60°
● 4 RGBW	1500 lm	20 W	24Vdc	68	120°
● 4 RGBW	1800 lm	20 W	24Vdc	68	10X60°

MINI SQUID




Small LED spotlight, suitable for residential swimming pools with PVC, tile or mosaic coating. PVC niche with cable gland. Equipped with stainless steel flange gaskets and screws. Power supply not included. Made with IP68 waterproof connector integrated into the spotlight for connection to the cable to be customized.

Faro a Led di dimensioni ridotte, adatto per piscine residenziali con rivestimento in PVC, piastrelle o mosaico. Nicchia in PVC con pressacavo. Corredato di flangia in acciaio inox guarnizioni e viti. Alimentatore non incluso. Realizzato con connettore stagno IP68 integrato al faretto per collegamento al cavo da personalizzare.

Mali LED reflektor, pogodan za stambene bazene obložene PVC-om, pločicama ili mozaikom. PVC niša s kabelskom uvodnicom. Opremljen brtvama prirubnice od nehrđajućeg čelika i vijcima. Napajanje nije uključeno. Napravljen s IP68 vodootpornim konektorom integriranim u reflektor za spajanje na kabel koji se može prilagoditi.

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details



Adaptable on all pool typology

Waterproof sealing system

100% customizable light
(Temperature/Flange)

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
3000K 4000K 5500K	1200 lm	14 W	24Vdc	68	120°
3000K 4000K 5500K	1400 lm	14 W	24Vdc	68	10X60°
Tunable white 2800-4600K	1200 lm	14 W	24Vdc	68	120°
Tunable white 2800-4600K	1400 lm	14 W	24Vdc	68	10X60°
4 RGBW	405 lm	11 W	24Vdc	68	120°
4 RGBW	455 lm	11 W	24Vdc	68	10X60°

SQUID




Compact LED headlight, suitable for residential swimming pools with PVC, tiles or mosaic coating. PVC niche with steel cable gland. Equipped with stainless steel flange, gaskets and screws. Power supply not included. Made with IP68 waterproof connector integrated into the spotlight for connection to the cable to be customized

Faro a Led di dimensioni ridotte, adatto per piscine residenziali con rivestimento in PVC, piastrelle o mosaico. Nicchia in PVC con pressacavo in acciaio. Corredato di flangia in inox, guarnizioni e viti. Alimentatore non incluso. Realizzato con connettore stagno IP68 integrato al faretto per collegamento al cavo da personalizzare.

Kompaktno LED prednje svjetlo, pogodno za stambene bazene s PVC-om, pločicama ili mozaik premaz. PVC niša s čeličnom kabelskom uvodnicom. Opremljen nehrđajućim čelikom prirubnica, brtve i vijci. Napajanje nije uključeno. Izrađen s IP68 vodootpornim priključak integriran u reflektor za spajanje na kabel koji se može prilagoditi

5 YEARS GUARRANTY !!

Look at LED ITALY Catalogue for more details



Waterproof sealing system

100% customizable light
(Temperature/Flange)


Suitable for all types of pools

Temperatura colore Color Temperature (K)	Flusso luminoso Luminous Flux	Consumo Power	Tensione Voltage	IP	Ottica Optic
3000K 4000K 5500K	2000 lm	20 W	24Vdc	68	120°
3000K 4000K 5500K	2200 lm	20 W	24Vdc	68	10X60°
Tunable white 2800-4600K	2000 lm	20 W	24Vdc	68	120°
Tunable white 2800-4600K	2200 lm	20 W	24Vdc	68	10X60°
4 RGBW	750 lm	20 W	24Vdc	68	120°
4 RGBW	800 lm	20 W	24Vdc	68	10X60°

ELECTRIC PANEL FOR RESIDENTIAL & COMMERCIAL SWIMMING POOLS

Electric panel and automation for residential and commercial swimming pools and water treatment plants

ASSEMBLY, DESIGN AND SOFTWARE PROGRAMMING



IGP QUALITY

Knowledge of all water technologies and automation processes



Certified guarantees ISO 9001:2008

Over 30 years of industrial experience of high quality systems

High quality european and international materials

360° custom service from exterior project management to after sales care

Igp Engineering è un system integrator, ossia un'azienda che conosce le tecnologie d'automazione ed informatiche disponibili e che ha le competenze per individuare la soluzione su misura per l'applicazione del cliente, in parte utilizzando le tecnologie proprietarie esistenti ed in parte creando hardware e software per integrare tra loro tecnologie diverse. In questo settore i nostri clienti principali sono consorzi di bonifica, consorzi di irrigazione, municipalizzate e società che gestiscono il ciclo integrale delle acque (potabili e di scarico), società turistiche, camping, hotel ed industrie di processo. I tecnici IGP sono in grado di sviluppare software con qualsiasi marca di Plc e lavoriamo anche con sistemi di sviluppo software particolari. Nel settore piscine IGP offre servizi di consulenza, progettazione, costruzione e gestione di sistemi, manutenzione e fornitura di ricambi per piscine commerciali di ogni dimensione e caratteristiche costruttive.



IGP is a so called "system integrator", a company that knows the various automation and information technologies and has the competences to find the best custom solution for every client, either using the existing technologies or developing hardwares and softwares which combine different technologies. In the automation sector our major clients are consortia, municipalized companies, societies managing the water cycle (from wastewater to drinkable water), tourist companies, camping and hotels and process manufacturing industries. IGP's technicians can develop softwares with any kind of PIC and we work as well with peculiar software development systems. In the swimming pool sector, IGP offers consulting, planning, development and management of systems, maintenance and spare parts supplies for commercial pools of every dimension and construction features.

OUR CONTROL SYSTEM INCLUDE:

Low/medium voltage electrical plants

Transformation stations

PLC & Combination of various technologies

Local and territorial data networks

Radio/GSM/dedicated lines/optical fibers/wireless

User interface systems

Supervision systems

IGP je system integrator, što znači da raspolaže dostupnim tehnologijama automatizacije i računalnom tehnologijom te posjeduje vještine za pronalaženje rješenja po mjeri kupca, djelomično koristeći tehnologije u svojem vlasništvu, a djelomično razvijanjem hardvera i softvera za međusobnu integraciju različitih tehnologija. Na ovom su području naši glavni naručitelji općinski konzorciji za melioraciju i navodnjavanje, tvrtke koje upravljaju kompletnim ciklusom vode (pitkih i otpadnih), turističke tvrtke, kampovi, hoteli i procesne industrije. IGP-ovi stručnjaci mogu razviti softver s PLC-om bilo kojeg proizvođača i s posebnim sustavima za razvoj softvera. Na području bazen IGP nudi usluge savjetovanja, projektiranja, izrade i upravljanja sustavima, održavanja i opskrbe zamjenskim dijelovima za komercijalne bazene svih veličina i građevinskih karakteristika.

CUSTOMIZABLE SOLUTION BY PROJECT ON REQUEST